

AUTHOR INDEX

- Amuro, Y., Yamade, W., Yamamoto, T., Maebo, A., Hada, T. and Higashino, K.
Partial purification and characterization of 7 α -hydroxy-steroid dehydrogenase from rat liver microsomes (917) 101
- Anderson, L.L., Trinh, M. and Flick, P.K.
Early effect of *myo*-inositol deficiency on phosphatidylinositol metabolism in rat liver (917) 341
- Arbeeny, C.M., Rifici, V.A. and Eder, H.A.
The uptake of the apoprotein and cholesteryl ester of high-density lipoproteins by the perfused rat liver (917) 9
- Bar-Tana, J., see Hertz, R. (917) 57
- Bartolf, M. and Franson, R.C.
Modulation by cytosol and commercial proteins of acid-active phospholipase A₂ from adrenal medulla (917) 308
- Boulenguer, P., see Theret, N. (917) 194
- Bourbon, J.R., Doucet, E. and Rieutort, M.
Role of α -glucosidase in fetal lung maturation (917) 203
- Bourre, J.-M., see Theret, N. (917) 194
- Boyles, J.K., see Pitas, R.E. (917) 148
- Chap, H., see Ragab-Thomas, J.M.-F. (917) 388
- Charleson, S., see Evans, J.F. (917) 406
- Chaudhary, L.R. and Nelson, E.C.
Some properties and subcellular distribution of acyl-coenzyme A: retinol acyltransferase activity in rat testes (917) 24
- Chilton, F.H., Hadley, J.S. and Murphy, R.C.
Incorporation of arachidonic acid into 1-acyl-2-lyso-sn-glycero-3-phosphocholine of the human neutrophil (917) 48
- Christophersen, B.O., see Hagve, T.-A. (917) 333
- Cohen, G.M., see Jamdar, S.C. (917) 381
- Crain, R.C., see Harvey, B.E. (917) 247
- Deems, R.A., Lombardo, D., Morgan, B.P., Mihelich, E.D. and Dennis, E.A.
The inhibition of phospholipase A₂ by monoalide and monoalide analogues (917) 258
- Delbart, C., see Theret, N. (917) 194
- Dennis, E.A., see Deems, R.A. (917) 258
- De Winter, J.M., Lenting, H.B.M., Neys, F.W. and Van den Bosch, H.
Hydrolysis of membrane-associated phosphoglycerides by mitochondrial phospholipase A₂ (917) 169
- Douady, D., see Grosbois, M. (917) 162
- Doucet, E., see Bourbon, J.R. (917) 203
- Douste-Blazy, L., see Ragab-Thomas, J.M.-F. (917) 388
- Downing, D.T., see Wertz, P.W. (917) 108
- Eder, H.A., see Arbeeny, C.M. (917) 9
- Eder, H.A., see Mitchel, Y.B. (917) 324
- Efrati, H. and Hawgood, S.
Sialic acid of lung surfactant apoprotein, SP 28-36, is not required for the Ca²⁺-mediated interactions between surfactant lipids and SP 28-36 (917) 425
- Evans, J.F., Leblanc, Y., Fitzsimmons, B.J., Charleson, S., Nathaniel, D. and Léveillé, C.
Activation of leukocyte movement and displacement of [³H]leukotriene B₄ from leukocyte membrane preparations by (12*R*)- and (12*S*)-hydroxyeicosatetraenoic acid (917) 406
- Fibach, E., see Nahas, N. (917) 86
- Fitzsimmons, B.J., see Evans, J.F. (917) 406
- Flick, P.K., see Anderson, L.L. (917) 341
- Florén, C.-H., see Jensen, E. (917) 74
- Foss, D., see Pitas, R.E. (917) 148
- Fournet, B., see Theret, N. (917) 194
- Franson, R.C., see Bartolf, M. (917) 308
- Fredman, P., Klinghardt, G.W. and Svennerholm, L.
Effect of chloroquine on the activity of some lysosomal enzymes involved in ganglioside degradation (917) 1
- Fruchart, J.-C., see Theret, N. (917) 194
- Fukui, T., Ito, M., Saito, T. and Tomita, K.
Purification and characterization of NADP-linked acetoacetyl-CoA reductase from *Zoogloea ramigera* I-16-M (917) 365
- Gatt, S., see Nahas, N. (917) 86
- Gilfillan, A.M. and Rooney, S.A.
Purinoreceptor agonists stimulate phosphatidylcholine secretion in primary cultures of adult rat type II pneumocytes (917) 18
- Giloh, H., see Nahas, N. (917) 86
- Gonen, B., O'Donnell, P., Post, T.J., Quinn, T.J. and Schulman, E.S.
Very low density lipoproteins (VLDL) trigger the release of histamine from human basophils (917) 418
- Grosbois, M., Guerbette, F., Douady, D. and Kader, J.-C.
Enzyme immunoassay of a plant phospholipid transfer protein (917) 162
- Guarcello, V., Stern, A. and Rizza, V.
Fluorescent properties of merocyanine 540 in solutions of sialogangliosides (917) 318
- Guerbette, F., see Grosbois, M. (917) 162
- Gutteridge, J.M.C.
The antioxidant activity of haptoglobin towards haemoglobin-stimulated lipid peroxidation (917) 219

- Hada, T., see Amuro, Y. (1917) 101
- Hadley, J.S., see Chilton, F.H. (1917) 48
- Hagve, T.-A. and Christophersen, B.O.
In vitro effects of α -bromopalmitate on metabolism of essential fatty acids studied in isolated rat hepatocytes: sex differences (1917) 333
- Hanahan, D.J., see Kumar, R. (1917) 33
- Hardeman, D., see Nijssen, J.G. (1917) 140
- Hardeman, D., see Nijssen, J.G. (1917) 131
- Harvey, B.E. and Crain, R.C.
Biosynthesis of glycerolipids by heptoma and liver microsomes. I. Fatty acyl-CoA ligase and acyl-CoA: sn-glycerol-3-phosphate acyltransferase (1917) 247
- Hashimoto, K., see Kinsky, S.C. (1917) 211
- Hawgood, S., see Efrati, H. (1917) 425
- Hayaishi, O., see Hayashi, H. (1917) 356
- Hayaishi, O., see Suzuki, F. (1917) 224
- Hayashi, H., Ito, S., Watanabe, K., Negishi, M., Shintani, T. and Hayaishi, O.
Metabolism of prostaglandin D₂ in isolated rat lung: the stereospecific formation of 9 α ,11 β -prostaglandin F₂ from prostaglandin D₂ (1917) 356
- Hayashi, H., see Suzuki, F. (1917) 224
- Hertz, R. and Bar-Tana, J.
Increased response to peroxisomal proliferators in starved rats (1917) 57
- Higashino, K., see Amuro, Y. (1917) 101
- Hirai, A., see Lam, B.K. (1917) 398
- Hirata, M.H., Oliveira, H.C.F., Quintão, E.C.R., Redgrave, T.G. and Maranhão, R.C.
The effects of Triton WR-1339, protamine sulfate and heparin on the plasma removal of emulsion models of chylomicrons and remnants in rats (1917) 344
- Hruska, K.A., see Kurnik, B.R.C. (1917) 81
- Hullin, F., see Ragab-Thomas, J.M.-F. (1917) 388
- Hülsmann, W.C., see Persoon, N.L.M. (1917) 186
- Huskey, M., see Kurnik, B.R.C. (1917) 81
- Imaizumi, K., Lu, Y.-F. and Sugano, M.
Characterization of serum apolipoprotein patterns in rats during suckling and post-weaning periods (1917) 269
- Ito, M., see Fukui, T. (1917) 365
- Ito, S., see Hayashi, H. (1917) 356
- Ito, S., see Suzuki, F. (1917) 224
- Ito, T., see Shiomi, M. (1917) 92
- Jamdar, S.C., Osborne, L.J., Wells, G.N. and Cohen, G.M.
Effect of spermine on the translocation of Mg²⁺-dependent phosphatidate phosphohydrolase (1917) 381
- Jansen, H., see Persoon, N.L.M. (1917) 186
- Jensen, E., Florén, C.-H. and Nilsson, Å.
Cell-density-dependent uptake of chylomicron remnants in rat hepatocyte monolayers. Effects of compactin and mevalonic acid (1917) 74
- Kader, J.-C., see Grosbois, M. (1917) 162
- Kier, A.B., see Schroeder, F. (1917) 62
- Kinden, D.A., see Schroeder, F. (1917) 62
- King, R.J., see Kumar, R. (1917) 33
- Kinnunen, P.K.J., see Thuren, T. (1917) 411
- Kinsky, S.C., Loader, J.E. and Hashimoto, K.
Inhibition of cell proliferation by putative metabolites and non-degradable analogs of methotrexate- γ -dimyristoylphosphatidylethanolamine (1917) 211
- Klinghardt, G.W., see Fredman, P. (1917) 1
- Kolodny, E.H., see Raghavan, S. (1917) 42
- Koopman, B.J., Wolthers, B.G., Van der Molen, J.C., Nagel, G.T. and Kruizinga, W.
Abnormal urinary bile acids in a patient suffering from cerebrotendinous xanthomatosis during oral administration of ursodeoxycholic acid (1917) 238
- Kruizinga, W., see Koopman, B.J. (1917) 238
- Krusell, A., see Raghavan, S. (1917) 42
- Kumar, R., King, R.J., Martin, H.M. and Hanahan, D.J.
Metabolism of platelet-activating factor (alkylacylphosphocholine) by type-II epithelial cells and fibroblasts from rat lungs (1917) 33
- Kurnik, B.R.C., Huskey, M. and Hruska, K.A.
1,25-Dihydroxycholecalciferol stimulates renal phosphate transport by directly altering membrane phosphatidylcholine composition (1917) 81
- Lagunoff, D., see Martin, T.W. (1917) 296
- Lam, B.K., Hirai, A., Yoshida, S., Tamura, Y. and Wong, P.Y.-K.
Transformation of 15-hydroperoxyeicosapentaenoic acid to lipoxin A₅ and B₅, mono- and dihydroxyeicosapentaenoic acids by porcine leukocytes (1917) 398
- Leblanc, Y., see Evans, J.F. (1917) 406
- Lee, S.H., see Pitas, R.E. (1917) 148
- Lenting, H.B.M., Neys, F.W. and Van den Bosch, H.
Hydrolysis of exogenous substrates by mitochondrial phospholipase A₂ (1917) 178
- Lenting, H.B.M., see De Winter, J.M. (1917) 169
- Léveillé, C., see Evans, J.F. (1917) 406
- Li, L.-K., So, L. and Spector, A.
Age-dependent changes in the distribution and concentration of human lens cholesterol and phospholipids (1917) 112
- Loader, J.E., see Kinsky, S.C. (1917) 211
- Lombardo, D., see Deems, R.A. (1917) 258
- Lu, Y.-F., see Imaizumi, K. (1917) 269
- Luyckx, H.N.M.L., see Nijssen, J.G. (1917) 131
- Lyerla, T.A., see Raghavan, S. (1917) 42
- Maebo, A., see Amuro, Y. (1917) 101
- Mahley, R.W., see Pitas, R.E. (1917) 148
- Maranhão, R.C., see Hirata, M.H. (1917) 344
- Martin, H.M., see Kumar, R. (1917) 33
- Martin, T.W., Wysolmerski, R.B. and Lagunoff, D.
Phosphatidylcholine metabolism in endothelial cells: evidence for phospholipase A and a novel Ca²⁺-independent phospholipase C (1917) 296
- Mawhinney, T.P., see Schroeder, F. (1917) 62
- Mihelich, E.D., see Deems, R.A. (1917) 258
- Mitamura, T.
Glucocorticoid-induced elevation of serum high-density

- lipoprotein-cholesterol and its reversal by adrenocorticotropin in the rat (917) 121
- Mitchel, Y.B., Rifci, V.A. and Eder, H.A.
Characterization of the specific binding of rat apolipoprotein E-deficient HDL to rat hepatic plasma membranes (917) 324
- Miura, K., see Yamada, K. (917) 290
- Morgan, B.P., see Deems, R.A. (917) 258
- Moriga, M., see Nishizawa, Y. (917) 372
- Murphy, R.C., see Chilton, F.H. (917) 48
- Nagel, G.T., see Koopman, B.J. (917) 238
- Nahas, N., Fibach, E., Giloh, H. and Gatt, S.
Use of the fluorescence activated cell sorter for studying uptake of fluorescent fatty acids into cultured cells (917) 86
- Nathaniel, D., see Evans, J.F. (917) 406
- Negishi, M., see Hayashi, H. (917) 356
- Nelson, E.C., see Chaudhary, L.R. (917) 24
- Neys, F.W., see De Winter, J.M. (917) 169
- Neys, F.W., see Lenting, H.B.M. (917) 178
- Nijssen, J.G., Promes, L.W., Hardeman, D. and Van den Bosch, H.
Phospholipid-protein interactions in rat lung lamellar bodies (917) 140
- Nijssen, J.G., Hardeman, D., Luyckx, H.N.M.L., Promes, L.W., Post, J.A. and Van den Bosch, H.
Isolation of protein components from rat lung lamellar bodies (917) 131
- Nilsson, Å., see Jensen, E. (917) 74
- Nishizawa, Y., Sakurai, H., Yamato, C. and Moriga, M.
Effects of ethanol alone or after pretreatment with 20% ethanol on phospholipid metabolism in rat gastric mucosa (917) 372
- Nozawa, Y., see Yamada, K. (917) 290
- O'Donnell, P., see Gonen, B. (917) 418
- Okano, Y., see Yamada, K. (917) 290
- Oliveira, H.C.F., see Hirata, M.H. (917) 344
- Osborne, L.J., see Jamdar, S.C. (917) 381
- Parthasarathy, S.
Oxidation of low-density lipoprotein by thiol compounds leads to its recognition by the acetyl LDL receptor (917) 337
- Person, N.L.M., Hülsmann, W.C. and Jansen, H.
Structural modulation of salt-resistant rat-liver lipase alters the relative phospholipase and triacylglycerol hydrolase activities (917) 186
- Pitas, R.E., Boyles, J.K., Lee, S.H., Foss, D. and Mahley, R.W.
Astrocytes synthesize apolipoprotein E and metabolize apolipoprotein E-containing lipoproteins (917) 148
- Post, J.A., see Nijssen, J.G. (917) 131
- Post, T.J., see Gonen, B. (917) 418
- Promes, L.W., see Nijssen, J.G. (917) 140
- Promes, L.W., see Nijssen, J.G. (917) 131
- Quinn, T.J., see Gonen, B. (917) 418
- Quintão, E.C.R., see Hirata, M.H. (917) 344
- Ragab-Thomas, J.M.-F., Hullin, F., Chap, H. and Douste-Blazy, L.
Pathways of arachidonic acid liberation in thrombin and calcium ionophore A23187-stimulated human endothelial cells: respective roles of phospholipids and triacylglycerol and evidence for diacylglycerol generation from phosphatidylcholine (917) 388
- Raghavan, S., Lyerla, T.A., Krusell, A. and Kolodny, E.H.
Metabolic activities in human skin fibroblasts preloaded with labeled G_{M2}-ganglioside (917) 42
- Redgrave, T.G., see Hirata, M.H. (917) 344
- Rieutort, M., see Bourbon, J.R. (917) 203
- Rifci, V.A., see Arbeen, C.M. (917) 9
- Rifci, V.A., see Mitchel, Y.B. (917) 324
- Rizza, V., see Guarcello, V. (917) 318
- Rooney, S.A., see Gilfillan, A.M. (917) 18
- Rosenthal, M.D.
Apparent specificity of the thrombin-stimulated deacylation of endothelial glycerolipids for polyunsaturated fatty acids with a delta-5 desaturation (917) 279
- Saito, T., see Fukui, T. (917) 365
- Sakurai, H., see Nishizawa, Y. (917) 372
- Schroeder, F., Kier, A.B., Kinden, D.A., Wilcox, H.G. and Mawhinney, T.P.
Composition and properties of very low density lipoproteins secreted by the perfused rat liver and subfractionated by affinity chromatography (917) 62
- Schulman, E.S., see Gonen, B. (917) 418
- Shintani, T., see Hayashi, H. (917) 356
- Shiomi, M., Ito, T. and Watanabe, Y.
Increase in hepatic low-density lipoprotein receptor activity during pregnancy in Watanabe heritable hyperlipidemic rabbits; an animal model for familial hypercholesterolemia (917) 92
- Slotte, J.P.
Intracellular processing of exogenously derived non-lipoprotein [³H]cholesterol in normal and mutant human skin fibroblasts deficient in acid sterol ester hydrolase (917) 231
- So, L., see Li, L.-K. (917) 112
- Spector, A., see Li, L.-K. (917) 112
- Stern, A., see Guarcello, V. (917) 318
- Sugano, M., see Imaizumi, K. (917) 269
- Suzuki, F., Hayashi, H., Ito, S. and Hayaishi, O.
Methyl ester of prostaglandin D₂ as a delivery system of prostaglandin D₂ into brain (917) 224
- Svennerholm, L., see Fredman, P. (917) 1
- Tamura, Y., see Lam, B.K. (917) 398
- Theret, N., Boulenger, P., Wieruszkeski, J.-M., Fournet, B., Fruchart, J.-C., Bourre, J.-M. and Delbart, C.
Structure determination of the polymorphism of acylgalactosylceramide in rat brain by gas chromatography/mass spectrometry and proton magnetic resonance (917) 194
- Thuren, T., Virtanen, J.A., Verger, R. and Kinnunen, P.K.J.
Hydrolysis of 1-palmitoyl-2-[6(pyren-1-yl)]hexanoyl-*sn*-glycero-3-phospholipids by phospholipase A₂: effect of the polar head-group (917) 411

- Tomita, K., see Fukui, T. (917) 365
Trinh, M., see Anderson, L.L. (917) 341
- Van den Bosch, H., see De Winter, J.M. (917) 169
Van den Bosch, H., see Lenting, H.B.M. (917) 178
Van den Bosch, H., see Nijssen, J.G. (917) 140
Van den Bosch, H., see Nijssen, J.G. (917) 131
Van der Molen, J.C., see Koopman, B.J. (917) 238
Venekci, I.
 Kinetics of NADPH-dependent lipid peroxidation and a possible initiation-preventing antioxidant effect of microsomal (+)- α -tocopherol (917) 347
Verger, R., see Thuren, T. (917) 411
Virtanen, J.A., see Thuren, T. (917) 411
- Watanabe, K., see Hayashi, H. (917) 356
Watanabe, Y., see Shiomi, M. (917) 92
Wells, G.N., see Jamdar, S.C. (917) 381
- Wertz, P.W. and Downing, D.T.
 Covalently bound ω -hydroxyacylsphingosine in the stratum corneum (917) 108
Wieruszkeski, J.-M., see Theret, N. (917) 194
Wilcox, H.G., see Schroeder, F. (917) 62
Wolthers, B.G., see Koopman, B.J. (917) 238
Wong, P.Y.-K., see Lam, B.K. (917) 398
Wysolmerski, R.B., see Martin, T.W. (917) 296
- Yamada, K., Okano, Y., Miura, K. and Nozawa, Y.
 Arachidonic acid release in BW755C-pretreated rat peritoneal mast cells stimulated with A23187, concanavalin A and compound 48/80 (917) 290
Yamada, W., see Amuro, Y. (917) 101
Yamamoto, T., see Amuro, Y. (917) 101
Yamato, C., see Nishizawa, Y. (917) 372
Yoshida, S., see Lam, B.K. (917) 398

